
1		1
2		2
2.1		2
2.2		2
2.3		2
3		3
3.1		3
3.2		5
3.3		7
3.4		9
4		10
4.1		10
4.2		12
		13
4.4	“ ”	14
5		18
5.1		18
5.2		19
6		22
6.1		22
6.2		22
7		23
8		24
8.1		24
8.2		24
8.3		25
9		26
9.1		26
9.2		26
9.3		27
9.4		27
10		29
10.1		29
10.2		29
10.3		29
10.4		29
		30
11.1		30
11.2		30

1

3

2009

2010 3 30

144

120

861

1986

2016

2017 7

2018 9

2016

11 21

“ 2016 80 ”

2019 3

2

2.1

2.2

1

[2018]9 2018.5.15

2.3

1

2016.9

2

2016 80 2016.11.21

3

3.1

3



3

30km,
2.0km 0.8km 410m
460m 630m
50m
100m 102m
214m 323m
319m 320m
50 350m
195m

Diagram illustrating a network structure with 12 nodes and their associated values (in meters):

- Top-left: 138m
- Top-middle: 274m
- Top-right: 286m
- Middle-left: 210m
- Middle-middle: 508m
- Middle-right: 1600m
- Bottom-left: 217m
- Bottom-middle: 350m
- Bottom-right: 320m
- Far-bottom-left: 160m
- Far-bottom-middle: 450m
- Far-bottom-right: 320m

1 13.5 300m 26 52

2 3000m³ 92# 1 2000m³

95# 3 5000m³ 0# 1 5000m³

1 2000m³

3.0 m³

5 6 150m²

0.15m

22710m²

100m

3-1

3.3

92# 95# 0#



3.4

4

4.1

4.2



“ ”


1232


11.35

4-1

[illegible]







5

5.1

5.2

6

6.1

7

1

2

8

8.1

1

2

3

,

4

2

0.5dB

5m/s

GB12348 2008

8.2

1

2

3

4

5

6

7

8.3

9

9.1

0.2 m³ 3.0 m³ 0.8 m³ 1.5 m³ 0.5 m³
20 /

75%

2019 3 4 5
9-1

9.2

2019 3 4 5 5m/s

9.3

[illegible]

9.4

GB16297-1996

11.1

“ ”

312 2.88%

GB12348-2008 3

11.2

“ ”